



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/731,632

12/09/2003

Ashutosh K. Jha

NVDA P001157

4721

26291

7590

07/29/2008

PATTERSON & SHERIDAN L.L.P. NJ Office

595 SHREWSBURY AVE, STE 100

FIRST FLOOR

SHREWSBURY, NJ 07702

EXAMINER

ROSE, KERRI M

ART UNIT

PAPER NUMBER

2616

MAIL DATE

DELIVERY MODE

07/29/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/731,632

Applicant(s)

JHA ET AL.

Examiner

KERRI M. ROSE

Art Unit

2616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 March 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5,8-12,15-17 and 19-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5,8-12,15-17 and 19-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 5/19/08
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to claims 1-5, 8-12, 15-17, and 19-25 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-5, 8-12, 15-17, and 19-21 are rejected under 35 U.S.C. 103(a) as being obvious over Hayes (US 2003/0158906) in view of Connery et al. (US 6,246,683).

In regards to claim 1, Hayes discloses a method of processing frames for a TCP connection comprising: processing a first portion of the frames using an offload unit to produce first processed frame data (figs. 7 and 12 disclose an offload processor. Paragraph 38 discloses offloading a portion of the frames for processing); processing a second portion of the frames using the offload unit to produce second processed frame data (figs. 7 and 12 disclose an offload processor. Paragraph 38 discloses offloading a portion of the frames for processing); and processing the second processed frame data using the TCP stack executed on a CPU to produce third processed frame data (Paragraph 39 discloses sending some frames back to the CPU for further processing using the TCP stack if the offload processor cannot complete the processing.) Hayes is silent to uploading the first processed frame data to a user buffer in a first portion of

memory that is allocated to an application program; and uploading the second processed frame data to a legacy buffer in a second portion of the memory that is allocated to a software driver configured to communicate between the offload unit and a TCP stack.

Connery discloses uploading the first processed frame data to a user buffer (fig. 4 element 111 discloses a buffer) in a first portion of memory that is allocated to an application program (fig. 4 indicates the buffer, 111, is located in a higher layer managed memory. Col. 6 lines 41-44 disclose it is an application managed memory.) and uploading the second processed frame data to a legacy buffer (fig. 4.110 discloses a buffer) in a second portion of memory that is allocated to a software driver (fig. 4 indicates the buffer, 110, is located in a driver managed memory) configured to communicate between the offload unit and a TCP stack (fig. 3 discloses the driver layer, 54, communicates between the offload unit, 56, and a TCP stack, 52.).

It would have been obvious to one of ordinary skill in the art at the time of the invention to upload the first and second portion to buffers in application or driver memory respectively, as taught by Connery, in the offloading method taught by Hayes because doing so improves the performance and scalability of a network, as taught by Connery in col. 3 lines 4-10.

In regards to claim 2, Hayes and Connery disclose the method of claim 1, further comprising determining whether a special case exists during the processing of each of the frames (Hayes p. 38 discloses determining if an "exceptional condition", in other words a special case, exists during processing.)

In regards to claim 3, Hayes and Connery disclose the method of claim 1, wherein at least a portion of the first processed frame data is payload data (Connery fig. 4.102 discloses the first portion consists of payload data.)

In regards to claim 4, Hayes and Connery disclose the method of claim 1, wherein at least a portion of the second processed frame data is partially processed frame header data (Connery fig. 4.101 discloses the second portion consists of header data.)

In regards to claim 5, Hayes and Connery disclose the method of claim 1, wherein at least a portion of the second processed frame data is payload data (Connery fig. 4.101 is termed a header fragment. However, it is disclosed the fragment is made up of Ethernet, IP, TCP, and SMB headers. As each header is added it is common to consider the remainder of the packet as payload. In other words, the Ethernet header encapsulates a payload which also happens to include IP, TCP, and SMB headers.).

In regards to claim 8, Hayes and Connery disclose the method of claim 1, further comprising finishing processing of the second processed frame data by the TCP stack executed on the CPU (Hayes p.39 discloses finishing processing by the TCP stack on the CPU if the offload processor cannot complete processing. Connery fig. 3 and col. 6 line 58 – col. 7 line 20 disclose completing processing of the second processed frame conventionally, using the TCP stack.).

In regards to claim 9, Hayes discloses a system for processing data for a TCP connection, comprising: a TCP stack (fig. 10.118 discloses a conventional TCP stack) configured to process received frames (p. 39 discloses processing certain receiving frames using the conventional TCP stack); a software driver configured to interface between the TCP stack and an offload unit (fig. 10. 116 and 160 are device drivers which interface between the TCP stack and offload unit.); and the offload unit (fig. 10.26c is the offload unit) configured to: process frames received on a delegated connection to produce payload data and partially processed frames (figs. 7 and 12

disclose an offload processor. Paragraph 38 discloses offloading a portion of the frames for processing).

Hayes is silent to a memory configured to store user buffers in a first portion that is allocated to an application program and to store legacy buffers in a second portion that is allocated to the software driver; and uploading partially processed frames to at least one of the legacy buffers; and upload the payload data to at least one of the user buffers.

Connery discloses uploading the first processed frame data to a user buffer (fig. 4 element 111 discloses a buffer) in a first portion of memory that is allocated to an application program (fig. 4 indicates the buffer, 111, is located in a higher layer managed memory. Col. 6 lines 41-44 disclose it is an application managed memory.) and uploading the second processed frame data to a legacy buffer (fig. 4.110 discloses a buffer) in a second portion of memory that is allocated to a software driver (fig. 4 indicates the buffer, 110, is located in a driver managed memory) configured to communicate between the offload unit and a TCP stack (fig. 3 discloses the driver layer, 54, communicates between the offload unit, 56, and a TCP stack, 52.).

It would have been obvious to one of ordinary skill in the art at the time of the invention to upload the first and second portion to buffers in application or driver memory respectively, as taught by Connery, in the offloading method taught by Hayes because doing so improves the performance and scalability of a network, as taught by Connery in col. 3 lines 4-10.

In regards to claim 10, Hayes and Connery discloses the system of claim 9, wherein the offload unit is configured to process frames for which a special case does not exist (Hayes p. 39 discloses returning frames from the offload to the main processor if a special case exists. In other words the offload unit only processes frames for which a special cases does not exist.).

In regards to claim 11, Hayes and Connery disclose the system of claim 9, wherein the offload unit is configured to notify the TCP stack when a special case is determined to exist (Hayes p. 39 discloses transferring control back to the TCP stack, from the offload processor, if a special case is determined to exist. The transfer of control serves as notice to the TCP stack of the special case.).

In regards to claim 12, Hayes and Connery discloses the system of claim 9, wherein the TCP stack is configured to process frames for which a special case exists (Hayes p. 39 discloses returning frames from the offload to the TCP stack if a special case exists.).

In regards to claim 15, Hayes discloses receiving additional frames while uploading processed frames. Frames will continue to be received unless the input buffer is full. Only then will incoming packets be denied, i.e. dropped. Therefore it is inherent that the offload processor will continue to receive frames that will wait processing while it completes processing of its current frame.

In regards to claim 16, Hayes discloses a method of processing frames for delegated and nondelegated TCP connection, comprising: processing delegated TCP connections using an offload unit (figs. 7 and 12 disclose an offload processor. Paragraph 38 discloses offloading a portion of the frames from a delegated connection for processing.) for which special cases do not exist (Hayes p. 39 discloses returning frames from the offload to the main processor if a special case exists. In other words the offload unit only processes frames for which a special cases does not exist) to produce processed frame data; processing non-delegated TCP connections using a TCP stack executing on a CPU (p. 67 discloses there are some processes, such as application specific initialization which should not be processed by the offload unit but instead processed

conventionally.); processing all frames for which special cases exist using the TCP stack executing on the CPU (Hayes p. 39 discloses returning frames from the offload to the TCP stack if a special case exists.).

Hayes does not disclose uploading the processed frame data to a user buffer in a first portion of memory that is allocated to an application program; and uploading frame data for the non-delegated TCP connection to a legacy buffer in a second portion of the memory that is allocated to a software driver configured to communicate between the offload unit and the TCP stack.

Connery discloses uploading the first processed frame data to a user buffer (fig. 4 element 111 discloses a buffer) in a first portion of memory that is allocated to an application program (fig. 4 indicates the buffer, 111, is located in a higher layer managed memory. Col. 6 lines 41-44 disclose it is an application managed memory.) and uploading the second processed frame data to a legacy buffer (fig. 4.110 discloses a buffer) in a second portion of memory that is allocated to a software driver (fig. 4 indicates the buffer, 110, is located in a driver managed memory) configured to communicate between the offload unit and a TCP stack (fig. 3 discloses the driver layer, 54, communicates between the offload unit, 56, and a TCP stack, 52.).

It would have been obvious to one of ordinary skill in the art at the time of the invention to upload the first and second portion to buffers in application or driver memory respectively, as taught by Connery, in the offloading method taught by Hayes because doing so improves the performance and scalability of a network, as taught by Connery in col. 3 lines 4-10.

In regards to claim 17, Hayes and Connery disclose the method of claim 1, wherein at least a portion of the first processed frame data is payload data (Connery fig. 4.102 discloses the first portion consists of payload data.

3. In regards to claims 19 and 20, Hayes discloses updating connection state information in paragraphs 57 and 67.

4. In regards to claim 21, Hayes and Connery discloses the method of claim 1 further comprising issuing an interrupt to the CPU after the second processed frame data is uploaded to the legacy buffer (Connery discloses a direct memory access engine in fig. 2.26. A DMA functions by reading or writing to memory while the CPU completes other tasks. When the DMA completes its task it issues an interrupt. Therefore an interrupt must be issued after each processed frame is uploaded to the legacy buffer)

5. Claims 22-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayes (US 2003/0158906) in view of Connery et al. (US 6,246,683) in view of known prior art.

In regards to claims 22 and 23, Hayes and Connery disclose user and legacy buffers, but not wherein the buffers are physically contiguous memory locations.

It was known by those of ordinary skill in the art to allocate physically contiguous memory locations. It is also inherent that within one memory locations can either be contiguous or not. The choice of one or the other is often a matter of taking other design constraints into account, such as the ease of which contiguous memory may be increased in size later.

Official Notice is taken that it would have been obvious to one of ordinary skill in the art at the time of the invention to allocate physically contiguous locations to the buffers taught by

Hayes because it is preferable to have contiguous memory when dealing with large amounts of money for cache and memory access latency reasons.

In regards to claims 24 and 25, Hayes discloses user and legacy buffers, but not wherein the buffers are physically non-contiguous memory locations.

It was known by those of ordinary skill in the art to allocate physically non-contiguous memory locations. It is also inherent that within one memory locations can either be contiguous or not. The choice of one or the other is often a matter of taking other design constraints into account, such as the ease of which contiguous memory may be increased in size later

Official Notice is taken that it would have been obvious to one of ordinary skill in the art at the time of the invention to allocate non-contiguous locations to the buffers taught by Hayes because fragmentation problems may prevent contiguous locations and virtual memory can simulate contiguous memory.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KERRI M. ROSE whose telephone number is (571) 272-0542. The examiner can normally be reached on Monday through Thursday, 7:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Aung MOE can be reached on (571) 272-7314. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Aung S. Moe/
Supervisory Patent Examiner, Art Unit 2616

/kr/
Examiner

kmr